





|  | Chamfer Dimension R1,2(min.)         | 7.5 mm      |
|--|--------------------------------------|-------------|
|  | Chamfer Dimension R3,4(min.)         |             |
|  | Permissible Axial Displacement(max.) | 10 mm       |
|  | Dynamic Radial Load                  | 1622250 lbf |
|  | Static Radial Load                   | 4342500 lbf |
|  | Max Speed                            |             |
|  | Weight                               | 1150 kg     |
|  | Shoulder Dia Of Outer Ring (D1)      | 1945 mm     |
|  | Raceway Diameter Of Inner Ring (Fw)  | 1784 mm     |

NU 18/1700 ECMA/HB1. Single Row



TFL Bearings Manufacturing Co., Ltd.

Jinan City, Shandong Province, China https://www.sdtflbearings.com info@sdtflbearing.com +86 15806631151 This file and any associated information and specifications are provided for reference and evaluation purposes only, and is subject to change without notice. TFL makes no representations, warranties or guarantees as to the appropriateness, accuracy, completeness, or suitability for any purpose, of the file, information or specifications. You are solely responsible for the use of the file, information or specifications.

|             | Part Number | Cylindrical Roller Bearings With Inner<br>Ring |
|-------------|-------------|--|
| s<br>,<br>r | Size        | 1700 mm x 2060 mm x 160 mm                     |
| е           | Brand       | TFL  |