





| Chamfer Dimension R1,2(min.)         | 4 mm       |
|--------------------------------------|------------|
| Chamfer Dimension R3,4(min.)         | 4 mm       |
| Permissible Axial Displacement(max.) | 4.2 mm     |
| Dynamic Radial Load                  | 247500 lbf |
| Static Radial Load                   | 321750 lbf |
| Max Speed                            | 2000 rpm   |
| Weight                               | 30.6 kg    |
| Shoulder Dia Of Outer Ring (D1)      | 278.7 mm   |
| Raceway Diameter Of Inner Ring (Fw)  | 215 mm     |



TFL Bearings Manufacturing Co., Ltd.

Jinan City, Shandong Province, China https://www.sdtflbearings.com info@sdtflbearing.com +86 15806631151 This file and any associated information and specifications are provided for reference and evaluation purposes only, and is subject to change without notice. TFL makes no representations, warranties or guarantees as to the appropriateness, accuracy, completeness, or suitability for any purpose, of the file, information or specifications. You are solely responsible for the use of the file, information or specifications.

|             | Part Number | NU 2236 ECM, Single Row Cylindrical<br>Roller Bearings With Inner Ring |
|-------------|-------------|------------------------------------------------------------------------|
| s<br>,<br>r | Size        | 180 mm x 320 mm x 86 mm                                                |
| е           | Brand       | TFL                                                                    |