120 mm -0.015mm	$\begin{array}{c} 23 \text{ mm}^{0} \\ R_{2} \\ R_{1} \\ R_{2} \\ R_{4} \\ R_{3} \\ R_{4} \\ R_{1} \\ R_{2} \\ R_{4} \\ R_{3} \\ R_{4} \\ R_{5} \\ R_{4} \\ R_{5} \\ R_{4} \\ R_{5} \\$			
			Shoulder Dia Of Inner Ring	84.4 mm
			Chamfer Dimension R1,2(min.)	1.5 mm
			Chamfer Dimension R3,4(min.)	1.5 mm
			Shoulder Dia Of Outer Ring (D1)	103.2 mm
			Raceway Diameter Of Inner Ring (Fw)	78.5 mm
0			Dynamic Radial Load	27450 lbf
65 mm-0.15mm			Static Radial Load	26550 lbf
			Max Speed	7000 rpm
			Weight	1.06 kg
TFL BEARING	This file and any associated information and specifications are provided for reference and evaluation purposes only,	Part Number	NUP 213 ECP, Single Row Cylindrical Roller Bearings With Inner Ring	
TFL Bearings Manufacturing Co., Ltd.	<ul> <li>and is subject to change without notice.</li> <li>TFL makes no representations, warranties</li> <li>or guarantees as to the appropriateness,</li> <li>accuracy, completeness, or suitability for</li> </ul>	Size	65 mm x 120 mm x 23 mm	
Jinan City, Shandong Province, China https://www.sdtflbearing.com info@sdtflbearing.com +86 15806631151	any purpose, of the file, information or specifications. You are solely responsible for the use of the file, information or specifications.	Brand	TFL	

Г