125 mm-0.018mm	$\begin{array}{c} 24 \text{ mm} \stackrel{0}{\text{-0.15mm}} \\ R_2 \\ R_1 \\ R_2 \\ R_4 \\ R_3 \\ R_4 \\ R_7 \\ R_1 \\ R_2 \\ R_4 \\ R_3 \\ R_4 \\ R_5 \\ R_6 \\ R_7 \\ $			
			Shoulder Dia Of Inner Ring	89.4 mm
			Chamfer Dimension R1,2(min.)	1.5 mm
			Chamfer Dimension R3,4(min.)	1.5 mm
			Shoulder Dia Of Outer Ring (D1)	108.3 mm
			Raceway Diameter Of Inner Ring (Fw)	83.5 mm
0			Dynamic Radial Load	30825 lbf
70 mm-0.15mm			Static Radial Load	30825 lbf
			Max Speed	6000 rpm
			Weight	1.35 kg
TFL BEARING	and specifications are provided for	Part Number	NUP 214 ECM, Single Row Cylindrical Roller Bearings With Inner Ring	
TFL Bearings Manufacturing Co., Ltd.	reference and evaluation purposes only, and is subject to change without notice. TFL makes no representations, warranties or guarantees as to the appropriateness, accuracy, completeness, or suitability for	Size	70 mm x 125 mm x 24 mm	
Jinan City, Shandong Province, China https://www.sdtflbearing.com info@sdtflbearing.com +86 15806631151	any purpose, of the file, information or specifications. You are solely responsible for the use of the file, information or specifications.	Brand	TFL	

Г